



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

unsuccessful primary cases, after rescarification 4 returned successfully vaccinated. The remaining 8 did not come back to this office.

	Vacci- nated.	Certifi- cates issued.		Vacci- nated.	Certifi- cates issued.
October:			February:		
Primary	116	72	Primary	6	6
Secondary	7	2	Secondary	8	2
November:			March:		
Primary	37	22	Primary	16	9
Secondary	1	0	Secondary	1	1
December:			April:		
Primary	8	3	Primary	28	16
Secondary	2	1	Secondary	5	2
January:			May:		
Primary	11	7	Primary	1,470	141
Secondary	18	1	Secondary	15	3

Report from Gulf Quarantine, Miss.—Steamship Hiram discharged from quarantine.

Passed Assistant Surgeon Wille reports, June 12, as follows:

The steamship *Hiram* was discharged from this quarantine yesterday morning, June 11, there having been no developments beyond the 2 cases of yellow fever previously reported. This vessel was held seven days after sulphurization less five hours, which time would be consumed in proceeding to Mobile.

Report from Gulfport, Miss.—Death from enteric fever.

Acting Assistant Surgeon Sheely reports, June 11, as follows:

During the past week there occurred 1 death from enteric fever in the third week; otherwise there is nothing of importance to report.

INSPECTION SERVICE, MEXICAN BORDER.

Inspection at Eagle Pass, Tex.

Acting Assistant Surgeon Hume reports as follows:

	Week ended June 11, 1905.
Persons inspected on trains	169
Persons held	0

Inspection at El Paso, Tex.

Acting Assistant Surgeon Alexander reports as follows:

Week ended June 10, 1905.

Inspection Mexican Central passengers, 217; inspection Mexican Central immigrants, 87; inspection of Japanese, 2; inspection of Spaniards, 4; inspection certificate cause of death of corpse transferred into the United States, 1; disinfection of soiled linen imported for laundry work, 517 pieces; vaccination of children of immigrants, 7.

Inspection at Laredo, Tex.

Acting Assistant Surgeon Hamilton reports, June 13, as follows:
Week ended June 10, 1905.

Passenger trains from Mexico inspected, 14; persons on passenger trains from Mexico inspected, 592; immigrants on passenger trains from Mexico inspected, 49; immigrants from Mexico vaccinated upon entry, 13; persons detained or refused entry for reason of being from or having passed through Tierra Blanca within five days, 37.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES,
YEARLY AND MONTHLY.

CALIFORNIA—*Los Angeles*.—Month of May, 1905. Estimated population, 180,000. Total number of deaths 256, including cerebro-spinal meningitis 4, diphtheria 1, enteric fever 4, scarlet fever 1, whooping cough 4, and 57 from tuberculosis.

Sacramento.—Month of May, 1905. Estimated population, 35,000. Total number of deaths 49, including diphtheria 1, enteric fever 1, and 3 from tuberculosis.

Stockton.—Month of May, 1905. Census population, 19,500. Total number of deaths 14, including 1 from tuberculosis.

ILLINOIS—*Danville*.—Period from May 5 to 31, 1905. Estimated population, 25,090. Total number of deaths, 34, including 3 from tuberculosis.

Rockford.—Month of April, 1905. Estimated population, 37,000. Total number of deaths, 43, including enteric fever 2, and 4 from tuberculosis.

INDIANA.—The Monthly Bulletin of the State board of health gives the following:

Total number of deaths month of April, 1905, 2,639; rate, 12.1. In the corresponding month last year, 3,322 deaths; rate, 15.2. In the preceding month, 3,656 deaths; rate, 16.2. Deaths by important ages were: Under 1 year, 309 deaths, or 12.6 per cent of the total deaths; 1 to 5, 142; 5 to 10, 51; 10 to 15, 52; 15 to 20, 110; 65 and over, 730, or 29.8 per cent. Some important causes of death were: Pulmonary tuberculosis, 344; other forms of tuberculosis, 46; typhoid fever, 27; diphtheria, 13; scarlet fever, 23; whooping cough, 14; pneumonia, 223; diarrheal diseases, 18; cerebro-spinal meningitis, 46; influenza, 35; puerperal fever, 15; cancer, 86; violence, 132; smallpox, 4.

LOUISIANA—*New Orleans*.—Month of May, 1905. Estimated population, 325,000; white, 239,000; colored, 86,000. Total number of deaths, 712; white, 422; colored, 290, including diphtheria 2, enteric fever 6, whooping cough 6, smallpox 1, and 92 from tuberculosis.

MICHIGAN.—The total number of deaths reported to the department of state for the month of May, 1905, was 2,700, a decrease of 322 from April. The death rate was 12.5 per 1,000 population, as compared with 14.4 for the preceding month.